




WPC WALL PANEL


Name:	Indoor wpc panel
Material:	PVC+calcium powder+additive
Size:	Rich models, customized length
Advantages:	Waterproof, flame-retardant, scratch-resistant
Surface:	Wood, fabric, metal...
Used space:	Living room, office, coffee shop...
MOQ:	200 pcs per color
Install:	Nautral silicone sealant, aluminum accessories





2026 NEW MODEL




PTWPN-1-001




PTWPN-1-002




PTWPN-1-003




PTWPN-1-004





PTWPN-1-005




PTWPN-1-006




PTWPN-1-007





PTWPN-1-008




PTWPN-1-009



PTWPN-1-010












PTWPN-1-011




PTWPN-1-012




WPC Fluted Panel




WPC Fluted Panel




PTWPC-1-010




PTWPC-1-011




PTWPC-1-012



PTWPC-1-019




PTWPC-1-020




PTWPC-1-021




PTWPC-1-013



PTWPC-1-014




PTWPC-1-015




PTWPC-1-022




PTWPC-1-023




PTWPC-1-024




PTWPC-1-016




PTWPC-1-017




PTWPC-1-018



PTWPC-1-025




PTWPC-1-026




PTWPC-1-027

WPC Fluted Panel

WPC Fluted Panel



WPC Flat Panel



WPC Coners





WPC Timber Tube Installation

◦ Installation



1.Clean both ends of WPC timber tube and put glue in.



2.Insert the wooden block 1 which is 5cm in both ends of WPC timber tube.




3.Put glue on both ends of the wooden block 1 for WPC timber tube.




5.installation complete




4.Fix wooden block 2 on position of the ceiling floor by glue, and then put the WPC square tube on the position of wooden block 2, then finish.




PTWPC-4-001



PTWPC-4-002



PTWPC-4-003



PTWPC-4-004





WPC Ceiling

Installation

The ecological wood ceiling is a type of ecological wood product, essentially artificial wood. It is a kind of "greener wood plastic composite material," which is a mixture of resin, wood fiber material, and polymer material in specific proportions. Compared to log ecological wood, it has good stability, retains the physical characteristics of solid wood, and is waterproof, anti-corrosive, and provides neat insulation. Modifiers such as light and thermal stability, UV resistance, and low-temperature impact resistance are added during the production of ecological wood, giving it strong weather resistance and UV protection.

Accessories



Keel




Hanger



Shutter

Installation structure



Installation



Positioning and Punching



Install hangers





Fixed keel



Install the ceiling on the keel





PTWPC-5-001




PTWPC-5-002



PTWPC-5-003



PTWPC-5-004






ACOUSTIC WALL PANEL

Name:	Acoustic wall panel
Material:	Wood/PVC veneer+MDF/PS+polyester
Size:	Standard 600 mm width, 22 mm thick, 2.4/2.75/3 m length
Advantages:	Absorb noise
Surface:	1 sided color, 3 sided color
Used space:	Cinema, music classroom, coffee shop...
MOQ:	200 pcs total, 100 pcs per color
Install:	Glue, gun nails, accessories



Strip Acoustic Panel



Special Shaped Acoustic Panel



AKU-001



AKU-002



AKU-003



AKU-004



AKU-005



AKU-006



AKU-007



AKU-008



AKU-009



AKU-010



AKU-011





AKU-012



AKU-013




Acoustic Wall Panel Installation




PVC MARBLE SHEET

Name:	PVC marble sheet
Material:	PVC + calcium powder+additive
Size:	1.22/1.2 m Width, 2-3 mm thick, customized length
Advantages:	Waterproof, fireproof, wear-resistant
Surface:	High glossy, smooth matte, embossed matte
Used space:	Barthroom, kitchen, living room...
MOQ:	200 pcs total, 50 pcs per color
Install:	Nautral silicone sealant, knife, aluminum accessories



High glossy




Smooth Matte



Embossed Matte



Ordinary series



PVV-A3



PVC-A4




PVC-A6



PUV-A7

Laser Series



PUV-C9



PUV-C27



PUV-C28



PUV-C23

Ordinary Series-Large Edition



PUV-B6



PUV-B5




PUV-B3




PUV-B4

Gilded Series




PUV-D2



PUV-D6



PUV-D13



PUV-D23

Luxury Stone Series



PUV-E79



PUV-E80



PUV-E81




PUV-E100

3D Printing-Single Series



Colorful Series



PUV-F10



PUV-F11



PUV-F18



PUV-F19

3D Printing-Open Book Series



A 3-5 B



A 3-7 B



A 3-4 B



A 3-1 B




A 14-6 B



A 14-8 B

Embossed Marble Sheet



Hot selling 



Cave stone




Small pattern



Big pattern

Steel Profile



Steel Coner

Steel Flat


Aluminum Profile



A Shape



W Shape



H Shape



U Shape



L Shape



T Shape

Installation



1.Cut to get the right size



2. Apply glue to the back.



3. Install directly on the wall.

BAMBOO WALL PANEL


Name:	Bamboo wall panel
Material:	PVC+calcium powder+additive
Size:	1.22 m width, 5/8 mm thickness, customized length
Advantages:	Waterproof, flame-retardant, scratch-resistant
Surface:	Wood, fabric, metal, mirror, water ripple...
Used space:	Barthroom, office, coffee shop...
MOQ:	200 pcs total, 100 pcs per color
Install:	Nautral silicone sealant, knife, aluminum accessories



Wooden Series




Stone Series



Fabric Series



Continuous Marble Series



Metal Series




P021

P022

P023

P027

Mirror Series



Silver Mirror

Black Mirror

Grey Mirror

White Mirror


Brown Mirror

Red Mirror

Gold Mirror

Bule Mirror

Mosaic Series



Gold mosaic

Silver mosaic

Grey mosaic

Pink mosaic



Water Ripple Series



Small Pattern



Middle Pattern



Big Pattern



Silver



Gold



Light Gold



Black Smoke



Champagne



Multicolor




Iridescent Blue



Pale Gold



Skin feel series



056



060



062



063

Special 3D Series



26901



26907




26125





26142



5mm Aluminum Accessories




BA5-001





BA5-002





BA5-003





BA5-004





BA5-005





BA5-006




BA5-007



BA5-008





BA5-009





8mm Aluminum Accessories




BA8-001





BA8-002





BA8-003





BA8-004





BA8-005





BA8-006




BA8-007








BA8-008



BA8-009



Installation



PVC WALL PANEL

Name:	pvc wall panel
Material:	PVC+calcium powder+additive
Size:	300mm, 5/8 mm thickness, customized length
Advantages:	Waterproof, flame-retardant, scratch-resistant
Surface:	Wood, fabric, metal
Used space:	Barthroom, office, coffee shop...
MOQ:	600 pcs total, 300 pcs per color
Install:	Natural silicone sealant, knife, aluminum accessories



Different Models



8 grooved series



PP10-001



PP10-002



PP10-003



PP10-004



PP10-005



PP10-006

10 grooved series



PP8-001



PP8-002



PP8-003



PP8-004



PP8-005



PP8-006


10 grooved series



PP15-001



PP15-002



PP15-003




PP15-004



PP15-005




PP15-006



SPC FLOORING

Name:	SPC flooring
Material:	Calcium Powder + PVC Resin + Stabilizers + Chemical Additives
Size:	1220*184 mm normal size
Advantages:	Waterproof, fireproof, wear-resistant, easy installation
Surface:	Wood grain, stone grain, carpet grain...
Used space:	Indoor residential & commercial flooring
MOQ:	500 sqm per design
Install:	Click lock, adhesive glue



Wood Grain




Marble Grain




Carpet Grain




SPC Accessories




SPCP-001




SPCP-002




SPCP-003




SPCP-004







SPCP-005




SPCP-006




SPCP-007




SPC Skirting




SPCP-008





SPCP-009



SPCP-010




SPCP-011



LVT FLOORING

Name	LVT Flooring
Material	PVC+Calcium powder
Size	300*300/152.4*914.4/450*450/600*600mm 1.0/1.2/1.5/1.8/2.0/3.0mm thickness
Advantages	Waterproof, fireproof, wear-resistant, noise isolation
Surface Design	Wood grain, marble grain, fabric grain
Application Scenarios	Living room, hotel, caf é, etc
MOQ	500sqm/color



wood Grain



Model:
HY-M1006



Model:
HY-M1007



Model:
HY-M1008



Model:
HY-M1009




Model:
HY-M1010



Marble Grain



Model:
HY-S2005



Model:
HY-S2006



Model:
HY-S2007



Model:
HY-S2008



Model:
HY-S2009




Model:
HY-S2010



PU STONE

Name	PU Stone
Material	Polyurethane, flame retardant powder
Size	1200×600mm
Advantages	Waterproof, fireproof, good elasticity and corrosion resistance.
Surface Design	Mountain rock, stone skin, future stone, flowing water stone, etc.
Application Scenarios	Indoor and outdoor wall decoration
MOQ	100pcs/color



PU-009
1200*600*25mm



PU-010
1200*600*26mm



PU-011
1200*600*35mm



PU-012
1200*600*25mm



PU-001
1200*600*30mm



PU-002
1200*600*30mm



PU-003
1200*600*30mm



PU-004
1200*600*30mm



PU-013
1200*600*25mm



PU-014
1200*600*26mm



PU-017
1200*600*26mm



PU-018
1200*600*26mm



PU-005
1200*600*25mm



PU-006
1200*600*35mm



PU-007
1200*600*26mm



PU-008
1200*600*26mm



PU-015
1200*600*26mm



PU-016
1200*600*26mm



A B C D
2900*600*50mm For Each Piece

Color Option



PU Stone Installation



• Step 1

Cutting PU Stone Panels

Based on the measurements, use a saw to cut the PU stone panels to fit the dimensions of the installation area.



• Step 3

Installing PU Stone Panels

Ensure the installation surface is clean, flat, and dry. Carefully place the PU stone panels with adhesive onto the marked positions. Press the panels firmly to ensure they adhere tightly to the installation surface.



• Step 2

Applying Adhesive

Evenly apply an appropriate amount of specialized adhesive to the back of the PU stone panels.



• Step 4

Nailing for Reinforcement

Use a nail gun to further secure the PU stone panels.



SOFT STONE

Name:	Soft stone panel
Material:	Colored sand + Calcium powder + Chemical additives
Size:	1200*600 mm, 3000*1200 mm
Advantages:	Waterproof, fireproof, flexible
Surface:	Travertine, mosaic, rammed earth slab,slate...
Used space:	Outdoor wall decor,
MOQ:	200 sqm per design
Install:	Cement, joint sealant...



FS-001



FS-002



FS-003



FS-004



FS-005



FS-006



FS-007



FS-008



FS-009



FS-010



FS-011




FS-012





FS-013



FS-014



FS-015



FS-016



SF-025



SF-026



SF-027



SF-028



FS-017



FS-018



FS-019



FS-020



SF-029



SF-030



SF-031



SF-032



SF-021



SF-022



SF-023



SF-024



SF-033



SF-034



SF-035



SF-036

Normal Color Option



Pure White



Off White



Off Yellow



White Jade



Silver White




Silkworm Cocoon



Cement Ash



Light Ash




Dark Gray



Brick Red



Date Red



Bright Red




Bright Moon Yellow



Brass



Earthy Yellow



Orange Red



Orange Yellow



Pure Black

Printing Color Option



DS6A1001



DS6A1004



DS6A1002



DS6A1003



DS6A1005



DS6A1007



DS6A1006



DS6A1010



DS6A1008



DS6A1011



DS6A1009



DS6A1013

Soft Stone Installation



1. Use a line to position



2. Scrape off the cement slurry on the wall



3. Scrape off the cement slurry on the back of the product



4. Move up and down to adjust the width of the space, and use a large board to compact the product to the wall



5. Use a plastic bag to fill the gap with grout or fill the gap with neutral silicone glue



6. When the grout is half dry, use a steel bar to pull the seam



7. Use a hook to scrape off the areas contaminated by adhesive and cement slurry



8. Use a dry sponge to remove dust

External Corner , Internal Corner, Window sill pasting requirements



Corner



Begonia corner



45° diagonal



Corner



ARTIFICIAL PLANT WALL

Name:	Artificial plant wall
Material:	PE blades + PE modules + galvanized square tubes
Size:	400*600 mm, 500*500 mm, 1000*1000 mm
Advantages:	Sun protection, moisture resistance,
Surface:	Customized design
Used space:	Outdoor fence, indoor shopping mall
MOQ:	100 pcs per design
Install:	Barbed wire, nails...




400*600 mm



500*500/1000*1000 mm



See separate catalog for more info



WALL STICKER


Name:	Wall sticker
Material:	IXPE+PET
Marble design size:	1.2*3m, 0.6*3m, 0.3*0.6m, 0.6*0.6m
Fluted wood size:	0.6*3m, 1.2*3m, 0.3*0.6m, 0.6*0.6m
Advantages:	Anti-collision buffering, waterproof, moisture-proof
Surface:	Marble, wood, water ripple...
Used space:	Living room, office, coffee shop...
MOQ:	200 pcs per color
Install:	Self-adhesion



Marble Series



538D1



619D1



T9056801



PLD2031

Fluted Wood Series



CSK6801



CSK6804



CSK6811



CSK6819

Fabric Series



A004




A011



A005



A015




3D PVC PANEL


Name:	3D PVC PANEL
Material:	98% PVC
Size:	500*500 mm, 300*300 mm
Advantages:	Easy to install, simple to maintain
Surface:	Marble, wood, mirror...
Used space:	Living room, office, coffee shop...
MOQ:	200 pcs per color
Install:	Glue



Hot Selling Model



D006-1



D071



D083



D094




D137



D145


Hot Selling Color



BLACK



BLACK WOOD



CHAMPAGNE GOLD



RED COPPER RUST



ELECTROPLATING BRIGHT GOLD




GILDED MARBLE

See separate catalog for more info

WALL TILES

Name:	Wall tiles
Material:	Glass, pressure-sensitive adhesive
Size:	300*300 mm, 305*305 mm
Advantages:	Easy to install, simple to maintain
Surface:	Mosaic,mirror...
Used space:	Living room, shopping mall, coffee shop...
MOQ:	400 pcs per color
Install:	Self-adhesive




3D wall tile



Metal tile



Mirror mosaic tile



See separate catalog for more info

OUTDOOR WPC PANEL

Name:	Outdoor wpc panel
Material:	PE+Calcium Powder+Chemical Additives
Size:	Customized length
Advantages:	Waterproof, fireproof, wear-resistant, easy installation
Surface:	Polished, wood grain...
Used space:	Garden gazebo, outdoor pavilion...
MOQ:	200 pcs per color per design
Install:	Interlocking joints, studs, nails



First Generation



Polished




Light wood grain




Embossed wood grain




Embossed brushed wood grain




OPF-001




OPF-002




OPF-003



OPF-004



OPF-005



OPF-006



Second Generation



Wood grain big pattern



Wood grain



Brushed grain





Straight line

OUTDOOR WPC DECKING

Name:	Outdoor wpc decking
Material:	PE+Calcium Powder+Chemical Additives
Size:	Customized length
Advantages:	Waterproof, fireproof, wear-resistant, easy installation
Surface:	Polished, wood grain...
Used space:	Garden gazebo, outdoor pavilion...
MOQ:	200 pcs per color per design
Install:	Frame, clips, and screws



OPS-001




OPS-002




OPS-003




OPS-004




OPS-005




OPS-006



OPS-007




OPS-008



OPS-009




First Generation



ODF-001

ODF-002


ODF-003



ODF-004

ODF-005


ODF-006



ODF-007

ODF-008

ODF-009



ODF-010


ODF-011

ODF-012

Color Option



Second Generation



Color Option




OUTDOOR TIMBER TUBE

First Generation



Second Generation



WPC Accessories



Other Accessories



Wall Panel Installation



◦ Step 1
Fix the studs to the wall.



◦ Step 2
Secure the product to the studs.




◦ Step 3
Arrange the products in a front-to-back order.



◦ Step 4
Installation is complete.

Decking Installation Steps



Fence Installation

