






ACOUSTIC WALL PANEL

Name:	Acoustic wall panel
Material:	Wood/PVC veneer+MDF/PS+polyester
Size:	Standard 600 mm width, 22 mm thick, 2.4/2.75/3 m length
Advantages:	Absorb noise
Surface:	1 sided color, 3 sided color
Used space:	Cinema, music classroom, coffee shop...
MOQ:	200 pcs total, 100 pcs per color
Install:	Glue, gun nails, accessories



Strip Acoustic Panel



Special Shaped Acoustic Panel



AKU-001



AKU-002



AKU-003



AKU-004



AKU-005



AKU-006



AKU-007



AKU-008



AKU-009



AKU-010



AKU-011




AKU-012



AKU-013



Acoustic Wall Panel Installation



Start by measuring the dimensions you want to build. It should be noted that the height should be subtracted from the height of the baseboard as much as possible.




The second step is to cut the appropriate length of the acoustic panel according to the height.



The third step is to apply nail-free glue on the back. For the firmness of the installation, apply it as evenly as possible.



The fourth step is to paste the board coated with nail-free glue on the wall, and try to expose the side of the polyester fiber panel that is attached to the wall.



The fifth step, install in sequence, you can simply make the shape



The sixth step, the installation is complete, wait for the glue to cure.